



LASER & ROTARY ENGRAVING MATERIALS

LASERMAX® NEW



 Crimson/ White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	 Crimson/ Yellow LM922-607 2-ply 1/16"	 Claret/ White LM922-622 2-ply 1/16"	 Ribbon Pink/ White LM922-662 2-ply 1/16"	 Ribbon Pink/ Black LM922-664 2-ply 1/16"	 Tangerine/ White LM922-612 2-ply 1/16"	 Canary/ Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"
 Kelley Green/ White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	 Celadon Green/ White LM922-972 2-ply 1/16"	 Evergreen/ White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"	 Sky Blue/ White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	 Sky Blue/ Yellow LM922-517 2-ply 1/16"	 Sapphire/ White LM922-502 2-ply 1/16"	 Light Blue/ White LM922-562 2-ply 1/16"
 Patriot Blue/ White LM922-552 2-ply 1/16"	 China Blue/ White LM922-382 2-ply 1/16"	 Purple/ White LM922-582 2-ply 1/16"	 White/ Crimson LM922-206 2-ply 1/16"	 White/ Burgundy LM922-226 2-ply 1/16"	 White/ Sky Blue LM922-205 2-ply 1/16"	 White/ Bright Green LM922-209 2-ply 1/16"
 White/ Pine Green LM922-269 2-ply 1/16"	 White/ Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	 Ivory/ Dark Brown LM922-228 2-ply 1/16"	 Almond/ Black LM922-854 2-ply 1/16"	 Light Grey/ Burgundy LM922-326 2-ply 1/16"	 Light Grey/ Marine Blue LM922-325 2-ply 1/16"	 Light Grey/ Black LM922-324 2-ply 1/16"
 Smoke Grey/ White LM922-312 2-ply 1/16"	 Med. Brown/ White LM922-822 2-ply 1/16"	 Dark Brown/ White LM922-842 2-ply 1/16"	 Black/ White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	 Gloss Black/ White LM922-422 2-ply 1/16"	 Black/ Yellow LM922-407 2-ply 1/16"	 Black/ Gold LM922-417 2-ply 1/16"
 Gloss Black/ Gold LM922-427 2-ply 1/16"	 Black/ Silver LM922-413 2-ply 1/16"	 Celestial Blue/ Gold LM922-577 2-ply 1/16"	 Harbor Grey/ White LM922-362 2-ply 1/16"	 Port Wine/ Gold* LM922-677 2-ply 1/16"	 Verde/ Gold* LM922-937 2-ply 1/16"	 Deep Bronze/ Black* LM922-884 2-ply 1/16"
 Brushed Bronze/Black* LM922-874 2-ply 1/16"	 Brushed Bronze/White* LM922-872 2-ply 1/16"	 Brushed Gold/ Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	 European Gold/ Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	 Smooth Gold/ Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	 Br. Aluminum/ Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	 Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"
 Smooth Silver/ Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"	 Digicam Std. Issue/White LM922-982 2-ply 1/16"	 Digicam Green/ White LM922-922 2-ply 1/16"	 Digicam Desert Storm/Black LM922-844 2-ply 1/16"	 Digicam Pink/ Black LM922-694 2-ply 1/16"	 Digicam Air Force Blue/ White LM922-532 2-ply 1/16"	 Digicam Navy/ White LM922-592 2-ply 1/16"
 Digicam Special Ops/ White LM922-372 2-ply 1/16"	 Cashew/ Dark Brown LM922-188 2-ply 1/16"	 Cashew/ Taupe LM922-138 2-ply 1/16"	 Cashew/ Black LM922-134 2-ply 1/16"	 Cinnamon Stick/Ash LM922-022 2-ply 1/16"	 Cinnamon Stick/White LM922-222 2-ply 1/16"	 Kona/ Ash LM922-082 2-ply 1/16"

ULTRAGRAVE™ MATTE



Red/White UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	Red/Black UG922-604 2-ply 1/16"	Red/Gold UG922-637 2-ply 1/16"	Torrid/White UG922-862 2-ply 1/16"	Exotica/White UG922-882 2-ply 1/16"	Burgundy/White UG922-622 2-ply 1/16"	Burgundy/Gold UG922-627 2-ply 1/16"
Orange/White UG922-612 2-ply 1/16"	Orange/Black UG922-614 2-ply 1/16"	Yellow/Black UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	Apple Green/White UG602-932 2-ply .020" UG922-932 2-ply 1/16"	Pine Green/White UG922-912 2-ply 1/16"	Forest Green/White UG922-992 2-ply 1/16"	Forest Green/Eggshell UG922-993 2-ply 1/16"
Forest Green/Gold UG922-997 2-ply 1/16"	Turbulent/White UG922-942 2-ply 1/16"	Blue/White UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	Air Force Blue/White UG922-532 2-ply 1/16"	Royal Blue/White UG922-592 2-ply 1/16"	Royal Blue/Gold UG602-597 2-ply .020" UG922-597 2-ply 1/16"	Navy Blue/White UG922-552 2-ply 1/16"
Navy Blue/Gold UG922-557 2-ply 1/16"	Taupe/White UG922-802 2-ply 1/16"	Almond/Black UG922-854 2-ply 1/16"	Craftsmen/White UG922-832 2-ply 1/16"	White/Black UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	White/Clear* UG602-201 2-ply .020" UG922-201 2-ply 1/16"	White/Red UG922-206 2-ply 1/16"
White/Blue UG922-205 2-ply 1/16"	White/Taupe UG922-208 2-ply 1/16"	Brown/White UG922-822 2-ply 1/16"	Chocolate Brown/White UG922-842 2-ply 1/16"	Light Gray/Black UG922-304 2-ply 1/16"	Black/White UG662-402 2-ply .010" UG602-402 2-ply .020" UG922-402 2-ply 1/16"	Black/Clear* UG602-401 2-ply .020" UG922-401 2-ply 1/16"
Black/Silver Gray UG922-423 2-ply 1/16"	Matte Black/Gold UG922-417 2-ply 1/16"	Glossy Black/Gold UG602-427 2-ply .020"				






ULTRAGRAVE™ SATIN



Red/White UG122-602 2-ply 1/16"	Red/Black UG122-604 2-ply 1/16"	Torrid/White UG122-862 2-ply 1/16"	Exotica/White UG122-882 2-ply 1/16"	Burgundy/White UG122-622 2-ply 1/16"	Orange/White UG122-612 2-ply 1/16"	Orange/Black UG122-614 2-ply 1/16"
Yellow/Black UG122-704 2-ply 1/16"	Apple Green/White UG122-932 2-ply 1/16"	Pine Green/White UG122-912 2-ply 1/16"	Forest Green/White UG122-992 2-ply 1/16"	Forest Green/Eggshell UG122-993 2-ply 1/16"	Turbulent/White UG122-942 2-ply 1/16"	Blue/White UG122-512 2-ply 1/16"
Air Force Blue/White UG122-532 2-ply 1/16"	Royal Blue/White UG122-592 2-ply 1/16"	Navy Blue/White UG122-552 2-ply 1/16"	Taupe/White UG122-802 2-ply 1/16"	Almond/Black UG122-854 2-ply 1/16"	Craftsmen/White UG122-832 2-ply 1/16"	White/Black UG122-204 2-ply 1/16"

LASERMARK®



 Red/ White 922-602 2-ply .052"	 Red/ Yellow 922-607 2-ply .052"	 Yellow/ Black 922-704 2-ply .052"	 Bright Green/ White 922-932 2-ply .052"	 Pine Green/ White 922-912 2-ply .052"	 Sapphire/ White 922-502 2-ply .052"	 Blue/ White 922-512 2-ply .052"
 Blue/ Yellow 922-517 2-ply .052"	 Navy/ White 922-552 2-ply .052"	 Ivory/ Brown 922-228 2-ply .052"	 Med. Brown/ White 922-822 2-ply .052"	 Dark Brown/ White 922-842 2-ply .052"	 White/ Red 922-206 2-ply .052"	 White/ Blue 922-205 2-ply .052"
 White/ Black 922-204 2-ply .052"	 Light Grey/ White 922-322 2-ply .052"	 Grey/ White 922-312 2-ply .052"	 Black/ White 922-402 2-ply .052"	 Gloss Black/ White 922-422 2-ply .052"	 Black/ Yellow 922-407 2-ply .052"	 Black/ Gold 922-417 2-ply .052"
 Gloss Black/ Gold 922-427 2-ply .052"	 Port Wine/ Gold 922-677 2-ply .052"	 Verde/ Gold 922-937 2-ply .052"	 Celestial Blue/ Gold 922-577 2-ply .052"	 Cherry/ White 922-152 2-ply .052"	 Black Walnut/ White 922-002 2-ply .052"	 Walnut/ White 922-172 2-ply .052"
 English Walnut/White 922-192 2-ply .052"	 Smooth Gold/ Black* 922-714 2-ply .052"	 Brushed Gold/Black* 922-734 2-ply .052"	 European Gold/Black* 922-754 2-ply .052"	 Br. Aluminum/ Black* 922-354 2-ply .052"	 Brushed Silver/Black* 922-334 2-ply .052"	 Smooth Silver/ Black* 922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+*" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 49" // 613mm x 1245mm
Port Wine*
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Personal identification
Trophies, awards & plaques








Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail
Saws
Bevels
Hot Stamps
Shears
Drills
Heat Bendable
Bonds

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

FLEXIBRASS® & FLEXICOLOR®




 Port Wine/ Brass 602-677 2-ply .020"	 Port Wine/ White 602-672 2-ply .020"	 Verde/ Brass 602-937 2-ply .020"	 Celestial Blue/ Brass 602-577 2-ply .020"	 Celestial Blue/ White 602-572 2-ply .020"	 Harbor Grey/ Silver 602-363 2-ply .020"	 Harbor Grey/ White 602-362 2-ply .020"
 Brushed Gold/Blue 602-735 2-ply .020"	 Brushed Bronze/Black 602-874 2-ply .020"	 Deep Bronze/ Black 602-884 2-ply .020"	 Brushed Gold/Black 602-734 2-ply .020"	 European Gold/Black 602-754 2-ply .020"	 Trophy Gold/ Black 602-794 2-ply .020"	 Smooth Gold/ Black 602-714 2-ply .020"
 Yellow/ Black 602-744 2-ply .020"	 Blue/ White 602-512 2-ply .020"	 White/ Black 602-204 2-ply .020"	 Black/ White 602-402 2-ply .020"	 Matte Black/ Brass 602-417 2-ply .020"	 Gloss Black/ Brass 602-427 2-ply .020"	 Matte Black/ Silver 602-413 2-ply .020"
 Red/ White 602-602 2-ply .020"	 Gloss Black/ Silver 602-423 2-ply .020"	 Br. Aluminum/ Black 602-354 2-ply .020"	 Brushed Silver/Black 602-334 2-ply .020"	 Smooth Silver/ Black 602-344 2-ply .020"	 Trophy Silver/ Black 602-394 2-ply .020"	

ADA ALTERNATIVE® Substrate & Appliqué



Red 311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	Burgundy 311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	Bordeaux 311-671 1-ply 1/32" 321-671 1-ply 1/16" 341-671 1-ply 1/8"	Passion Pink 311-661 1-ply 1/32" 321-661 1-ply 1/16" 341-661 1-ply 1/8"	Canyon 311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	Orange 311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	Yellow 311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"
Grass Green 311-905 1-ply 1/32" 321-905 1-ply 1/16" 341-905 1-ply 1/8"	Bright Green 311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	Pine Green 311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"	Teal 311-921 1-ply 1/32" 321-921 1-ply 1/16" 341-921 1-ply 1/8"	Black Forest Green 311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	Bahama Blue 311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	Maui Blue 311-507 1-ply 1/32" 321-507 1-ply 1/16" 341-507 1-ply 1/8"
China Blue 311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	Blue 311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	Air Force Blue 311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	Marine Blue 311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	Antique Ivory 311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	Sand 311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"	Ash 311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"
Parchment 311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	Sandalwood 311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	White 311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	Bright White 311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	Light Grey 311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	Pearl Grey 311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"	Driftwood 311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"
Grey 311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	Silver Grey 311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	Charcoal Grey 311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	Cinder 311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"	Beige 311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	Candlewick 311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	Taupe 311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"
Dark Brown 311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	Med. Brown 311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	Black 311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm	Copper 311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	Deep Bronze 311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	Gold 311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	Silver 311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"
Graphite 311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"					

TECHNICAL SPECIFICATIONS				Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.		
Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Tactile signage Appliqué	Capabilities Scores Shears Heat Bendable Bonds Thermal Prints	Saws Laser Vector Cuts Screen Prints UV Stable	Drills Bevels Hot Stamps Braille-engravable	
Finish Matte non-glare	Cutting 1/32" Tactile Letters 1/4" round & .020" tip at 20°- 25° angle					



LM922-012 2-ply 1/16"

TECHNICAL SPECIFICATIONS			
*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.		*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.	
Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Port Wine* 23-1/2" x 48-3/4" // 597mm x 1238mm Kona/Ash & Kona/White* 23-5/8" x 48-3/4" // 600mm x 1238mm	Usage Interior signage Exterior signage Personal identification Trophies, awards & plaques	Capabilities Scores Shears Heat Bendable Bonds Saws Laser Vector Cuts Screen Prints Fine Detail Drills Bevels Hot Stamps UV Stable
Finish Matte non-glare Brushed metal Patterned Gloss ■	Engraving Depth .003" // 0.08mm		
◆ Not recommended for harsh or high humidity indoor or outdoor applications.			

METALGRAPH PLUS®



Br. Stainless Steel/Black MP912-314 2-ply 1/32" MP922-314 2-ply 1/16" MP942-314 2-ply 1/8"	Br. Copper Penny/Black MP912-864 2-ply 1/32" MP922-864 2-ply 1/16" MP942-864 2-ply 1/8"	Br. Antique Gold/Black MP912-764 2-ply 1/32" MP922-764 2-ply 1/16" MP942-764 2-ply 1/8"	Br. Bright Nickel/Black MP912-364 2-ply 1/32" MP922-364 2-ply 1/16" MP942-364 2-ply 1/8"	Br. Stainless Steel/Red MP912-316 2-ply 1/32" MP922-316 2-ply 1/16" MP942-316 2-ply 1/8"	Br. Stainless Steel/Blue MP912-315 2-ply 1/32" MP922-315 2-ply 1/16" MP942-315 2-ply 1/8"	Br. Antique Gold/Red MP912-766 2-ply 1/32" MP922-766 2-ply 1/16" MP942-766 2-ply 1/8"
Br. Antique Gold/Blue MP912-765 2-ply 1/32" MP922-765 2-ply 1/16" MP942-765 2-ply 1/8"	Br. Antique Gold/Gold MP922-767 2-ply 1/16" MP942-767 2-ply 1/8"	Br. Stainless Steel/Silver MP922-313 2-ply 1/16" MP942-313 2-ply 1/8"	Textured Copper/Black MP822-864 2-ply 1/16"	Textured Gold/Black MP822-764 2-ply 1/16"	Textured Gold/Gold MP822-767 2-ply 1/16"	Textured Nickel/Black MP822-364 2-ply 1/16"
Textured Stainless Steel/Silver MP822-313 2-ply 1/16"						


TECHNICAL SPECIFICATIONS			
Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Trophies, awards & plaques	Capabilities Scores Shears Heat Bendable Bonds Thermal Prints Saws Laser Vector Cuts Screen Prints Fine Detail Drills Bevels Hot Stamps UV Stable
Finish Brushed metal Textured	Engraving Depth .003" // 0.08mm		

LASERMAG



Brushed Silver/Black LM63-1224 12"x24" sheet	Black/ Gold LM65-1224 12"x24" sheet	Brushed Gold/Black LM64-1224 12"x24" sheet
--	---	--


TECHNICAL SPECIFICATIONS			
Material Microsurfaced flexible magnetic material	Sheet Size 10 pack: 12"x 24" sheets	Usage Promotional magnets Repositionable nameplates	Capabilities Scores Fine Detail Sandblasts Shears UV Stable Laser Vector Cuts Thermal Prints
Finish Brushed metal Gloss ■	Engraving Depth 0.004" // 0.10mm <i>Not recommended for rotary engraving</i> Gauge .020" // .5mm		
◆ Not recommended for harsh or high humidity indoor or outdoor applications.			



UG122-206 2-ply 1/16"




UG122-205 2-ply 1/16"



UG122-822 2-ply 1/16"



UG122-842 2-ply 1/16"



UG122-402 2-ply 1/16"



UG122-423 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

High impact modified acrylic blends

Finish

Matte non-glare
Satin grain
Gloss ■

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.005" // .13mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques
Safety & Industrial signage

Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Back-lighting*
Sandblasts		

TEXTURES



822-642 2-ply 1/16"
842-642 2-ply 1/8"



822-622 2-ply 1/16"



822-662 2-ply 1/16"



822-652 2-ply 1/16"



822-774 2-ply 1/16"



822-778 2-ply 1/16"



822-962 2-ply 1/16"



822-522 2-ply 1/16"




822-992 2-ply 1/16"



822-592 2-ply 1/16"
842-592 2-ply 1/8"




822-503 2-ply 1/16"




822-258 2-ply 1/16"



822-854 2-ply 1/16"




822-892 2-ply 1/16"



822-246 2-ply 1/16"




822-205 2-ply 1/16"



822-244 2-ply 1/16"
842-244 2-ply 1/8"



822-302 2-ply 1/16"



822-374 2-ply 1/16"



822-422 2-ply 1/16"
842-422 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Co-extruded impact acrylic

Finish

Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x
1238mm

Engraving Depth

.007" // 0.18mm
Acid Yellow & Pimento
.010" // 0.25mm


Usage

Interior signage
Exterior signage
Personal identification
Industrial tags
Industrial signage

Capabilities

Saws	Drills	Laser Vector Cuts
Bevels	Heat Bendable	Shears
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	


COLORCAST ACRYLICS™




CC342-600M 2-ply 1/8"
CC342-600G 2-ply 1/8"
CC352-600M 2-ply 1/4"
CC352-600G 2-ply 1/4"




CC342-620M 2-ply 1/8"
CC342-620G 2-ply 1/8"
CC352-620M 2-ply 1/4"
CC352-620G 2-ply 1/4"




CC342-500M 2-ply 1/8"
CC342-500G 2-ply 1/8"
CC352-500M 2-ply 1/4"
CC352-500G 2-ply 1/4"



CC342-550M 2-ply 1/8"
CC342-550G 2-ply 1/8"
CC352-550M 2-ply 1/4"
CC352-550G 2-ply 1/4"




CC342-850M 2-ply 1/8"
CC342-850G 2-ply 1/8"
CC352-850M 2-ply 1/4"
CC352-850G 2-ply 1/4"



CC342-200M 2-ply 1/8"
CC342-200G 2-ply 1/8"
CC352-200M 2-ply 1/4"
CC352-200G 2-ply 1/4"



CC342-300M 2-ply 1/8"
CC342-300G 2-ply 1/8"
CC352-300M 2-ply 1/4"
CC352-300G 2-ply 1/4"




CC342-400M 2-ply 1/8"
CC342-400G 2-ply 1/8"
CC352-400M 2-ply 1/4"
CC352-400G 2-ply 1/4"



CC342-710M 2-ply 1/8"
CC342-710G 2-ply 1/8"
CC352-710M 2-ply 1/4"
CC352-710G 2-ply 1/4"



CC342-330M 2-ply 1/8"
CC342-330G 2-ply 1/8"
CC352-330M 2-ply 1/4"
CC352-330G 2-ply 1/4"



CC342-100M 1-ply 1/8"
CC342-100G 1-ply 1/8"
CC352-100M 1-ply 1/4"
CC352-100G 1-ply 1/4"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Microsurfaced cell cast acrylic for reverse engraving

Finish

Matte (M)
Gloss (G)

Sheet Size

24" x 48" +0, -.125" //
610mm x 1219mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques
Tactile signage (*matte only*)

Capabilities

Saws	Laser Vector Cuts	Screen Prints
Hot Stamps	Bonds	Fine Detail
UV Stable	Paintfill	Back-lighting
Braille-engravable	Thermal Prints	

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine**
23-1/2" x 48-3/4" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Scores
Bevels
Screen Prints
Thermal Prints

Drills
Heat Bendable
Hot Stamps


Shears
Laser Vector Cuts
Fine Detail

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


LASERLIGHTS



S68-1224 12"x 24"sheet



S61-1224 12"x 24"sheet



S62-1224 12"x 24"sheet
S62-1205 12"x50' rolls




S63-1224 12"x24"sheet
S63-1205 12"x50' rolls




S65-1224 12"x24"sheet
S65-1205 12"x50' rolls



S69-1224 12"x24"sheet




S73-1224 12"x24"sheet




S75-1224 12"x24"sheet
S75-1205 12"x50' rolls



S26-1224 12"x24"sheet



S74-1224 12"x24"sheet



S64-1224 12"x24"sheet
S64-1205 12"x50' rolls

TECHNICAL SPECIFICATIONS

Material

Microsurfaced pre-adhesive plastic
(Backed with a .001" (0.03mm) acrylic
pressure sensitive adhesive)

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12" x 24" sheets
12" x 50' rolls

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Interior signage
Exterior signage
Personal identification
Industrial
Automotive & electronic labeling
Recreational applications

Capabilities


Scores
Laser Vector Cuts
UV Stable

Drills
Bonds
Thermal Prints

Shears
Fine Detail
Sandblasts

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

REVERSE LASERMARK® NEW



922-601 2-ply 1/16"




922-621 2-ply 1/16"



922-661 2-ply 1/16"



922-701 2-ply 1/16"



922-931 2-ply 1/16"



922-511 2-ply 1/16"




922-551 2-ply 1/16"



922-201 2-ply 1/16"



922-221 2-ply 1/16"




922-841 2-ply 1/16"



922-401 2-ply 1/16"



922-711 2-ply 1/16"
942-711 2-ply 1/8"



922-710 2-ply 1/16"
942-710 2-ply 1/8"



922-341 2-ply 1/16"
942-341 2-ply 1/8"



922-340 2-ply 1/16"
942-340 2-ply 1/8"



311-101 1-ply 1/32"
322-101 1-ply 1/16"
342-101 1-ply 1/8"



411-100 1-ply 1/32"
422-100 1-ply 1/16"
442-100 1-ply 1/8"



922-361 2-ply 1/16"



922-881 2-ply 1/16"



922-861 2-ply 1/16"



922-761 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Material

Microsurfaced impact acrylic for
reverse engraving

Finish

Matte non-glare
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Screen Prints
Tactile signage

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail
Back-lighting

Saws
Bevels
Hot Stamps
UV Stable
Shears

Drills
Heat Bendable
Bonds
Paintfill
Thermal Prints

THE VARSITY COLLECTION

Crimson/White LM922-602 2-ply 1/16"	Crimson/Yellow LM922-607 2-ply 1/16"	Crimson/Black* LM922-604 2-ply 1/16"	Claret/White LM922-622 2-ply 1/16"	Tangerine/White LM922-612 2-ply 1/16"	Vibrant Orange/Black* LM922-624 2-ply 1/16"	Canary/Crimson* LM922-706 2-ply 1/16"
Canary/Black LM922-704 2-ply 1/16"	Yellow/Sky Blue* LM922-705 2-ply 1/16"	Kelley Green/White LM922-932 2-ply 1/16"	Kelley Green/Black* LM922-934 2-ply 1/16"	Sky Blue/White LM922-512 2-ply 1/16"	Sky Blue/Yellow LM922-517 2-ply 1/16"	Patriot Blue/White LM922-552 2-ply 1/16"
Patriot Blue/Gold* LM922-527 2-ply 1/16"	Purple/White LM922-582 2-ply 1/16"	White/Crimson LM922-206 2-ply 1/16"	White/Sky Blue LM922-205 2-ply 1/16"	White/Patriot Blue* LM922-255 2-ply 1/16"	White/Black LM922-204 2-ply 1/16"	Black/White LM922-402 2-ply 1/16"
Black/Red* LM922-406 2-ply 1/16"	Black/Yellow LM922-407 2-ply 1/16"	Black/Silver LM922-413 2-ply 1/16"	Black/Gold LM922-417 2-ply 1/16"			

TECHNICAL SPECIFICATIONS

*These items are not available as standard products in the LaserMax® product line, and are handled as custom orders, which require a "2" sheet minimum.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Shears

LASERGLOW®



Glow with Adhesive LG302-911 1-ply .020"	Glow ADA Compliant LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	Glow Reverse Engravable LG322-911 2-ply .050"	Glow/Safety Red* LG322-916 2-ply .050"	Glow/Safety Green* LG322-919 2-ply .050"	Glow/Safety Blue* LG322-915 2-ply .050"	Glow/Safety Black* LG322-914 2-ply .050"
--	---	---	--	--	---	--

TECHNICAL SPECIFICATIONS

*For best results, it is recommended to rotary engrave these select products.

Material

Modified impact acrylic for appliqué, tactile signage, front or reverse engraving

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.022" // 0.56mm (Reverse only)
.025" // 0.64mm

Usage

Interior signage
Exterior signage
Safety signage
Tactile/Appliqué signage
Exit/Egress signage
Industrial tags
MEA certified MEA# 203-08-M

Capabilities

Saws	Drills	Shears
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
UV Stable	Paintfill	Back-lighting
Braille-engravable	Thermal Prints	



Rowmark recommends the products identified for UV-LED Printing.

Rowmark recommends using an adhesion promoter for best results when UV-LED printing select products. Rowmark does not recommend an adhesion promoter for the Hardwood Collection. ColorHuesEFX is not recommended for UV/Print applications.



Rowmark recommends the products identified for ADA/Tactile projects.

ColorHuesEFX is not recommended for ADA/Tactile. Matte product lines are specifically designed by Rowmark to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage.

HARDWOOD COLLECTION™

NEW




Cherry

RW1224-125CHE 1/8"
RW1824-125CHE 1/8"
RW1224-250CHE 1/4"
RW1824-250CHE 1/4"



Maple

RW1224-125MAP 1/8"
RW1824-125MAP 1/8"
RW1224-250MAP 1/4"
RW1824-250MAP 1/4"



Red Oak

RW1224-125OAK 1/8"
RW1824-125OAK 1/8"
RW1224-250OAK 1/4"
RW1824-250OAK 1/4"



Walnut

RW1224-125WAL 1/8"
RW1824-125WAL 1/8"
RW1224-250WAL 1/4"
RW1824-250WAL 1/4"



Mahogany

RW1224-125MAH 1/8"
RW1824-125MAH 1/8"
RW1224-250MAH 1/4"
RW1824-250MAH 1/4"

TECHNICAL SPECIFICATIONS

Material

Hardwood Layered Veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm
18" x 24" // 457mm x 610mm

Engraving Depth

N/A (Single ply)

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Saws
Hot Stamps
Sandblasts
Drills
Bonds
Screen Prints
Colorfill

REFLEXIONS

NEW



Silver Mirror

RM942-340 2-ply 1/8"



Ice Silver Mirror

RM942-341 2-ply 1/8"




Platinum Mirror

RM942-351 2-ply 1/8"



Carbon Mirror

RM942-300 2-ply 1/8"




Bronze Mirror

RM942-870 2-ply 1/8"



Gold Mirror

RM942-730 2-ply 1/8"



Ice Gold Mirror

RM942-731 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Frosted matte non-glare (1 side)
Mirrored (1 side)

Sheet Size

24" x 48" +.1875" -.0" // 610mm x 1219mm

Engraving Depth

.012" // 0.30mm

Usage


Interior signage
Exterior signage
Signage component or substrate
Craft and artistry projects

Capabilities

Scores
Bevels
Hot Stamps
Paintfill
Sandblasts
Saws
Heat Bendable
Bonds
Back-lighting
Drills
Screen Prints
Fine Detail
Thermal Prints

LUCENT

NEW



Translucent Smoke

LC342-025 1-ply .025"



Translucent Green

LC999-025 1-ply .025"




Translucent Blue

LC599-025 1-ply .025"



Translucent Pink

LC679-025 1-ply .025"




Translucent Orange

LC669-025 1-ply .025"



Translucent Yellow

LC729-025 1-ply .025"



Translucent Clear

LC101-025 1-ply .025"

TECHNICAL SPECIFICATIONS

Masked on both sides for handling purposes. Rowmark branded masking is applied to the backside and a clear mask on matted surface side to protect the sheet during shipping and handling.

Material

Translucent Modified Acrylic

Finish

Matte non-glare (1 side)

Sheet Size

24.0625" x 49" +.1875" -.0" // 610mm x 1245mm

Usage

Engineering Templates
Craft and artistry projects
Templates or Tracing
Stencils
Scrapbooking & Educational

Capabilities

Laser
UV-LED Printable
Drills
Vector Cuts
Pad Print
Fine Detail
Rotary
Saws

MESSAGE BOARD

NEW



Dry Erase
Bright White

DE421204 1-ply 1/16"
DE441204 1-ply 1/8"



Dry Erase
Black

DE421401 1-ply 1/16"
DE441401 1-ply 1/8"



Chalkboard
Pine Green

CB321902 1-ply 1/16"
CB341902 1-ply 1/8"



Chalkboard
Bright White

CB321204 1-ply 1/16"
CB341204 1-ply 1/8"



Chalkboard
Black

CB321401 1-ply 1/16"
CB341401 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Acrylic w/ Specialty Surface
Finish

Finish

Chalkboard - Micro texture
Dry Erase - High Gloss

Sheet Size


24.125" x 48.75" +.125" -.0" // 613mm x 1245mm

Usage

Signage Component or Substrate
Craft & Artistry
Novelty
Interior Signage
Exterior Signage

Capabilities

Scores
Shears
Heat Bendable
UV-LED Printable
Saws
Laser Vector Cuts
Screen Prints
Heat Transfer Print
Drills
Bevels
Hot Stamps
Bonds



CH341-690 1-ply 1/8"



CH341-700 1-ply 1/8"




CH341-720 1-ply 1/8"



CH341-500 1-ply 1/8"




CH341-900 1-ply 1/8"




CH341-100 1-ply 1/8"
CH351-100 1-ply 1/4"




CH341-101 1-ply 1/8"
CH351-101 1-ply 1/4"



CH341-601 1-ply 1/8"
CH351-601 1-ply 1/4"




CH341-621 1-ply 1/8"
CH351-621 1-ply 1/4"




CH341-611 1-ply 1/8"




CH341-211 1-ply 1/8"
CH351-211 1-ply 1/4"



CH341-721 1-ply 1/8"
CH351-721 1-ply 1/4"




CH341-701 1-ply 1/8"



CH341-931 1-ply 1/8"
CH351-931 1-ply 1/4"




CH341-921 1-ply 1/8"
CH351-921 1-ply 1/4"




CH341-551 1-ply 1/8"



CH341-541 1-ply 1/8"
CH351-541 1-ply 1/4"




CH341-531 1-ply 1/8"



CH341-511 1-ply 1/8"




CH341-521 1-ply 1/8"




CH341-581 1-ply 1/8"




CH341-441 1-ply 1/8"




CH341-631 1-ply 1/8"




CH341-661 1-ply 1/8"




CH341-651 1-ply 1/8"



CH341-791 1-ply 1/8"



CH341-991 1-ply 1/8"



CH341-961 1-ply 1/8"




CH341-501 1-ply 1/8"



CH341-571 1-ply 1/8"



CH341-301 1-ply 1/8"



CH341-803 1-ply 1/8"



CH341-831 1-ply 1/8"



CH341-221 1-ply 1/8"



CH341-201 1-ply 1/8"
CH351-201 1-ply 1/4"




CH341-401 1-ply 1/8"
CH351-401 1-ply 1/4"




CH342-496 2-ply 1/8"




CH342-407 2-ply 1/8"



CH342-427 2-ply 1/8"



CH342-406 2-ply 1/8"



CH342-426 2-ply 1/8"



CH342-417 2-ply 1/8"



CH342-439 2-ply 1/8"



CH342-455 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Matte non-glare (1 side)

Gloss (1 side)

*Gloss both sides

● Edge Glow

Sheet Size

24-1/8" x 48-1/2" +0, -.125" //
613mm x 1225mm

Engraving Depth

ColorHues N/A (Single ply)
EFX .003" // .08mm

Gauge

1/8" +/- 0.016 // .4mm
1/4" +/- .032 // .8mm

Usage ColorHues

Interior signage
Exterior signage
Tactile signage
Signage component or substrate
Craft and artistry projects

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues

Scores
Drills
Screen Prints
Fine Detail
Back-lighting
Sandblasts
Laser Vector Cuts
Bevels
Hot Stamps
UV Stable
Braille-engraversable
UV-LED Printable
Saws
Heat Bendable
Bonds
Paintfill
Thermal Prints
ADA Tactile

Capabilities EFX

Scores
Drills
Screen Prints
Fine Detail
Back-lighting
Sandblasts
Laser Vector Cuts
Bevels
Hot Stamps
UV Stable
Braille-engraversable
Saws
Heat Bendable
Bonds
Paintfill
Thermal Prints